


# 2023

## TOOLS PRODUCT CATALOG



 **BODO**  
makes hard work easy.



As a member of the BODO Group, at BODO Machinery, we are committed to fostering a company culture that drives excellence, innovation, and teamwork. Our culture statement is the guiding force behind our actions and interactions, creating an environment where every member of our team thrives and contributes to our shared success.



We **empower** our employees to take ownership of their work, make decisions, and drive positive change. We believe that the true power of our company lies in the collective strength of our people.



We embrace **innovation** as the cornerstone of our identity. We encourage a culture of continuous improvement, where creativity and forward-thinking are celebrated, and we dare to disrupt the industry with cutting-edge solutions.



We prioritize the well-being of our employees, customers, and community, adhering to the highest **safety** standards in the design, manufacturing, and use of our power tools.



We are unwavering in our commitment to delivering the highest **quality** products and services. Our reputation is built on integrity, trust, and the relentless pursuit of excellence.



**Teamwork** is at the heart of our success. We collaborate, support, and respect one another, fostering an inclusive and diverse environment where every voice is heard and valued.



Our **customers' needs** are in the center of our innovative actions and product design.



We are committed to **environmental responsibility**, striving to reduce our carbon footprint and promote sustainable practices throughout our operations.


**Our culture statement is not just a set of words; it's a way of life. It guides our actions, shapes our decisions, and inspires us to strive for excellence every day. Together, we build a brighter future and provide the world with the tools to achieve more.**

# BODO POWER TOOLS FOR PROFESSIONALS

1/2" (13MM)  
KEYLESS CHUCK



VARIABLE SPEED TRIGGER



VARIABLE SPEED



LED LIGHT




# BRUSHLESS

## 2-SPEED TRANSMISSION

**LO:0-400RPM**

**HI:0-1400RPM**



FORWARD & REVERSE  
BUTTON WITH SAFETY  
LOCK

⇄ **BRUSHLESS MOTOR**

BELT HOOK AND BIT CLIP

## Cordless Angle Grinder



### **CORDLESS HAND GRINDER 5601**

---

Voltage: 20V

Batterie Capacity 2.0 Ah

No load speed: 8600 r/min

Cutting disc: 100mm

---



### **CORDLESS HAND GRINDER 5602**

---

Voltage: 20V

Batterie Capacity 2.0 Ah

No load speed: 0-9000 r/min

Cutting disc: 100mm / 115mm / 150mm

---

**BRUSHLESS**



### **CORDLESS HAND GRINDER 5603**

---

Voltage: 20V

Batterie Capacity 2.0 Ah

No load speed: 0-6700 r/min

Cutting disc: 100mm

---

**BRUSHLESS**

## Cordless Angle Grinder



### **CORDLESS HAND GRINDER 5604**

---

Voltage: 20V

Batterie Capacity 2.0 Ah

No load speed: 0-7500 r/min

Cutting disc: 100mm / 115mm / 125mm

---

**BRUSHLESS**



### **ANGLE HAND GRINDER 1150**

---

Voltage: 230V

rated frequency: 50 Hz

rated input power: 1500W

No load speed: 8500 r/min

Cutting disc: 150mm

---

**BRUSHLESS**

## Drills



### **CORDLESS DRILL 5501**

---

Voltage: 12V

Battery Capacity: 2,0 Ah

No load speed: 350-1350RPM

Torque: 25Nm

Max. Drilling Diameter: 10mm

---



### **CORDLESS IMPACT DRILL 5501T**

---

Voltage: 12V

Battery Capacity: 2,0 Ah

No load speed: 350-1350RPM

Torque: 25Nm

Max. Drilling Diameter: 10mm

Impact frequency: 0-19500 bpm

---



### **CORDLESS DRILL 5502**

---

Voltage: 20V

Motor: BL Motor

No load speed: 350-1350r /min

Max. Drilling Diameter: 10mm

Torque: 25 Nm

---

## Drills



### **CORDLESS IMPACT DRILL 5502 T**

---

Voltage: 20V

Motor: BL Motor

No load speed: 350-1350r /min

Max. Drilling Diameter: 10mm

Torque: 25 Nm

Impact frequency: 0-19500 bpm



### **BRUSHLESS**

### **CORDLESS DRILL 5503**

---

Voltage: 20V

Motor: B L Motor

No load speed: 0 - 400 /0-1400RPM

Torque setting: 20 + 1

Chuck size: 1.5 - 13mm

Torque: 40Nm

Wood/Metal/Concrete :  $\Phi$ 25MM/ $\Phi$ 10MM/ $\Phi$ 6MM



### **BRUSHLESS**

### **CORDLESS IMPACT DRILL 5503T**

---

Voltage: 20V

Impact Frequency: 0-6000bpm/ 0-21000bpm

No load speed: 0 - 400 /0-1400RPM

Torque setting: 20 + 1+1

Chuck size: 1, 5 - 13mm

Torque: 40Nm

Wood/Metal/Concrete :  $\Phi$ 25MM/ $\Phi$ 10MM/ $\Phi$ 6MM



## Combi Drill



### **BRUSHLESS**

#### **Cordless Li- ion Combi Drill 6608**

---

Voltage: 21V

---

Max percussion rate: 3500 bpm

---

No load speed: 550 / 2200 RPM

---

Chuck size: 1, 5 - 13mm

---

Torque: 150 Nm

---

## Screwdriver



### **BRUSHLESS**

#### **CORDLESS IMPACT SREWDRIVER 5401**

---

Voltage: 20V

---

Motor: BL Motor

---

No load speed: 0 - 2300/ 0-2600 r/min

---

Torque: 260 Nm

---

## Wrench



### **BRUSHLESS** **CORDLESS IMPACT WRENCH 5701**

---

Voltage: 20V

Motor: B L Motor

No load speed: 0 - 2300/ 0-2600r/m

Torque: 260 Nm

---



### **BRUSHLESS** **CORDLESS IMPACT WRENCH 5702**

---

Voltage: 20V

Motor: B L Motor

No load speed: 0 -2000/ 0-2300/0-2800 r/min

Torque: 450 Nm

---

## Cordless Mini Chainsaw



### Circular Saw 9009

---

Rated Voltage: 230V

---

Frequency: 50Hz

---

Rated Input Power: 2200W

---

No- load speed: 4500 r/min

---

Blade: 255 mm

---

Cutting tilt angle: 0-45°

---

## Rotary Hammer



### BRUSHLESS

### CORDLESS ROTARY HAMMER 5101

---

Voltage: 20V

---

Batterie Capacity: 2,0 Ah

---

Rated Power: 700W

---

No load speed: 0 - 2000r/min

---

Impact Frequency: 0-4500 r/min

---

Drilling capacity concrete: 26mm

---

Steel: 13mm / Wood: 26mm

---

## Demolition Hammer

### Demolition Hammer 186

---



Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1500W

Max Impact Rates: 1850bpm

Impact Joules: 50J

Net Weight: 15.2kgs

### Demolition Hammer 0855

---



Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1400W

Max Impact Rates: 3800 bpm

Impact Joules: 18J

Net Weight: 6,4 kg

### Demolition Hammer 0855B

---



Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1050W

Max Impact Rates: 3800bpm

Impact Joules: 15J

Net Weight: 6kg

## Demolition Hammer



### Demolition Hammer 0855C

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1400W

Max Impact Rates: 3800bpm

Impact Joules: 18 J

Net Weight: 6,4 kg



### Demolition Hammer 0835

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1400W

Max Impact Rates: 3800 bpm

Impact Joules: 18J

Net Weight: 6,4 kg



### Demolition Hammer 0838

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1500 W

Max Impact Rates: 3800 bpm

Impact Joules: 20 J

Net Weight: 6,5 kg

## Demolition Hammer



### Demolition Hammer 0858

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1500W

Max Impact Rates: 3800 bpm

Impact Joules: 20J

Net Weight: 6,5 kg



### Demolition Hammer 65A

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1400W

Max Impact Rates: 3800 bpm

Impact Joules: 18J

Net Weight: 6,4 kg

## Rotary Hammer



### Rotary Hammer 8022

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 950W

No- load speed: 0-780 r/min

Max Impact Rates: 4500bpm

Impact Joules: 5 J

Net Weight: 4 kg



### Rotary Hammer 2602

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1100W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 5,5 J

Net Weight: 5 kg



### Rotary Hammer 28C

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1300W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 6,2 J

Net Weight: 5 kg

## Rotary Hammer



### Rotary Hammer 29A

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1300W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 6,2 J

Net Weight: 5 kg



### Rotary Hammer 3201

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1300W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 6,2 J

Net Weight: 5 kg



### Rotary Hammer 8029

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1100W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 7 J

Net Weight: 5 kg



## Rotary Hammer



### Rotary Hammer 8030

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1400W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 7,5 J

Net Weight: 5 kg



### Rotary Hammer 32W

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1500W

No- load speed: 0-880 r/min

Max Impact Rates: 4500bpm

Impact Joules: 7,8 J

Net Weight: 5 kg



### Rotary Hammer 0850

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 1300W

Max Impact Rates: 3800bpm

Impact Joules: 16 J

Net Weight: 6 kg

## Wall cutting machine



### Wall cutting machine 168

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 2800W

No- load speed: 7500 r/min

Blade: 156/168 mm\*1

Max cutting depth: 51,5mm / 57,5mm

Net Weight: 4,4 kg



### Wall cutting machine 198

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 4800W

No- load speed: 6500 r/min

Blade: 190 mm\*1

Max cutting depth: 62mm

Net Weight: 5,8 kg



### Wall cutting machine 2135

---

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 2800W

No- load speed: 7500 r/min

Blade: 133 mm\*1

Max cutting depth: 40mm

Net Weight: 5,8 kg

## Wall cutting machine



### Wall cutting machine 3525

Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 2800W

No- load speed: 5200 r/min

Blade: 30 mm\*1

Max cutting depth: 30 mm

Net Weight: 5,5 kg

### Wall cutting machine 5125



Rated Voltage: 110V-230V

Frequency: 60/50Hz

Rated Input Power: 4800W

No- load speed: 6500 r/min

Blade: 125 mm\*1

Max cutting depth: 40mm

Net Weight: 7,28 kg

## Cordless Mini Chainsaw



### CORDLESS MINI CHAINSAW 6101

Voltage: 20V

Batterie capacity: 2,0 Ah

No load speed: 3800 r/min

Cutting efficiency: 6,8m /min

Bar size: 5inch



Member of the BODO Group  
Bodo Machinery GmbH  
Segeberger Landstr. 53-55  
24619 Bornhöved



+49 4323- 8025-0



info@bodonet.com



www.bodonet.com



BODO Int.



bodo\_international

**\*Notice: Colors and pictured models in this catalog may vary from original tool.**